



Newland Symphone N2S

- Käsipääte päivittäiseen kovaan käyttöön
- Newlandin paras 1D/2D -lukijamoduli
- Ergonominen 25 asteen skannauskulma

Newland Symphone N2S

Physical Specifications	Model	N2S	
	Dimensions	169*72*23.8mm	
	Keys	Front: Number keys, Five-navigation key, Back key, Del key, Enter/End key, Dial key, Self-definition (F1, F2,F3, F4) keys. Sides: Power key, Left-scan key, Right-scan key, Function key	
	Input	English, pinyin, handwriting, soft-keyboard	
Product Performance	OS	Android 5.1	
	CPU	Dual-core 1.2 GHz	
	Screen	IPS, 3.5" WVGA, 480*800 pixel	
	Touch	Multi-point PCAP (projective capacitive touch)	
	Memory	ROM	4GB/8GB
		RAM	512MB/1GB
Barcode Scanning	1D	Code39, Codabar, Code128, Interleaved 2 of 5, UPC, EAN, MSI and more	
	2D (optional)	QR, PDF417, DataMatrix, MaxiCode and more	

Newland Symphone N2S

Network	Wi-Fi	IEEE 802.11 b/g/n
	WCDMA/ GSM	WCDMA: 2100 MHz, GSM: 900 MHz, 1800 MHz
	Bluetooth	BT 3.0 + HS, BT v2.1 + EDR
	Camera	High-definition, auto-focus
	GPS	GPS, AGPS
Battery	Capacity	4000 mAh
Endurance	Standby	500 hours
	Talking	20 hours
Ports & Accessories	T-Flash	Micro SD/TF (up to 32 GB)
	SIM	Mini-SIM card
	Jack	Micro USB, 3.5mm Audio jack, DC jack
	Charging stand	Optional. Charging device and battery simultaneously.
	Others	Printer (optional) supports BT-connected devices, adapter, cable, belt.
Certificates & Protection	Industrial protection	IP67
	Certificates	CTA, CCC, CE, RoHS
	Laser	IEC2 / FDA II, IEC60825 / EN60825-1

Newland Symphone N2S

Laite tukee:



1D



2D



Color

IP67

3G



WIFI



RFID



GPRS



GPS



CAMERA



MINI SD



USB



4000mAh